

Nodulator[®] IP Plus

Professional Soybean Preinoculant System

Registration Number 2022024S Fertilizers Act

Sufficient to treat 9,072 kg (20,000 lbs. / 400 x 50 lb. units) of seed

Net contents:

6.0 kg (6.0 L) IP Liquid Inoculant
6.0 kg (6.0 L) IP Conditioner Component

For commercial application only. Not for on-farm application.

DIRECTIONS FOR USE

Shake all containers well before use.

Before using this product, read all the following instructions carefully. Open contents of this product only when ready to use. Shake all containers well before opening. Any opened but unused materials must be discarded after 24 hours. Always mix all components of this product together in seed treatment mixture. Applying products separately will result in reduced performance.

TO TREAT 9072 kg (20000 lbs) OF SOYBEAN SEED: In a clean mixing container or tank, thoroughly mix the complete contents of one (1) 6.0 L (202 fl. oz.) bladder of IP Liquid Inoculant with the complete contents of one (1) 6.0 L (202 fl. oz.) bladder of IP Conditioner. Continuous and gentle agitation throughout the mixing and application process will enhance application and survival characteristics. For maximum on-seed survival of Rhizobium, mix and apply this product separate from any other seed treatment products.

WHEN APPLIED AS A STAND-ALONE TREATMENT: If this product is to be applied without other seed treatment(s), for each 9072 kg (20000 lbs) of treated seed (equivalent to 400 x 50-lb seed units) thoroughly mix one complete set of components together with 17.6 L (600 fl. oz.) of cool, clean, non-chlorinated water. Then apply the resulting mixture to soybean seed at a rate of 326 mL/100 kg (5.0 fl. oz. per 100 lbs) of seed. NOTE: While you may apply this product at a rate of as low as 130 mL/100 kg (2.0 fl. oz. per 100 lbs) of seed without the addition of water, both the evenness of seed coverage and rhizobial survival will be enhanced when total volume of liquid applied to the seed is 326 mL / 100 kg (5.0 fl. oz. per 100 lbs) of seed.

WHEN APPLIED WITH A SEED TREATMENT: If applied with additional seed treatment(s), this product may be applied at a rate of 130 mL/100 kg (2.0 fl. oz. per 100 lbs) of seed with no additional water as long as the total liquid volume being applied (this product plus all other seed treatment active/polymers/colorants) is at least 326 mL / 100 kg (5.0 fl. oz. per 100 lbs) of seed. Both a wet sequential (also known as simultaneous) application method, using a separate application tank for the active chemicals/polymers/colorants (preferred), or a tank mix can be used for such an application.

Label preinoculated seed with Rhizobium treatment tag as per regulatory requirements.

SEED TREATMENT COMPATIBILITY

Some seed treatments may be harmful to the efficacy of this product. Contact your dealer/manufacturer for current details. Please observe planting window recommendations for optimal responses (remembering that these are maximum values).

PRECAUTIONS

Ensure thorough ventilation during use. Wear chemical resistant gloves, safety goggles, a face shield, and closed work clothing. Do not eat, drink or smoke while using. Wash with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST-AID MEASURES

If inhaled: Remain calm, remove to fresh air.

If on skin: Wash thoroughly with soap and water.

If in eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed: Rinse mouth and then drink plenty of water.

STORAGE/PRECAUTIONS

Store this product between 2-10°C (36-50°F), and away from direct sunlight. **DO NOT ALLOW THIS PRODUCT TO FREEZE.** Do not use inoculant that is past its expiry date or that has not been correctly stored. Products must be used (applied to seed) within 24 hours of being opened and mixed.

Store seed treated with this product as cool as possible (not exceeding 10°C (50°F)) and away from direct sunlight. For more uniform temperature control, store product and treated seed as close to floor level as possible in a dry, covered and unheated storage area. If seed is not planted within 100 days from inoculation (or within the recommended shelf life associated with any given seed treatment), the seed must be re-inoculated.

GHS: The product does not require a hazard warning label in accordance with GHS criteria.

GUARANTEE

The IP Liquid Inoculant component of this product contains a minimum of 1×10^{10} viable cells of *Bradyrhizobium japonicum* CFU per gram. When applied to seed and stored as directed, this product supplies and maintains greater than 1×10^5 viable rhizobial cells per seed.

Warranty Disclaimer. BASF Canada Inc. ("BASF") warrants that this product conforms to the specifications set out on this label. BASF, its affiliates and the sellers of this product MAKE NO OTHER REPRESENTATIONS, WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, AS TO THE CONDITION, QUALITY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THIS PRODUCT.

Limitation of Remedies. The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability or other legal theories), shall be limited to, at BASF's election, one of the following: (1) replacement of the amount of product used; or (2) refund of the purchase price paid for the product; PROVIDED THAT BASF's provision of (1) or (2) is conditioned on its first being promptly notified of such loss or damage in writing. BASF, its affiliates and the sellers of this product SHALL NOT BE LIABLE to the buyer or any other party claiming by, through, or under the buyer for any other losses or damages resulting or relating to this product, including but not limited to any DIRECT, INDIRECT, SPECIAL, PUNITIVE, ECONOMIC, INCIDENTAL, OR CONSEQUENTIAL DAMAGES or loss of profits, whether in contract, tort or otherwise. BASF and its affiliates neither assume, nor authorize any person to assume for them, any other liability in connection with the sale, storage, use or handling of this product other than expressly set forth herein.

Acknowledgement. IN PURCHASING THIS PRODUCT, THE BUYERS AND ALL PARTIES CLAIMING BY, THROUGH OR UNDER THE BUYER, ACKNOWLEDGE AND AGREE TO THE TERMS AND CONDITIONS SET FORTH ON THIS LABEL AND FURTHER ACKNOWLEDGE THAT THEY FORM PART OF THE CONTRACT OF SALE BETWEEN (i) BASF, ITS AFFILIATES AND ANY OTHER SELLER OF THIS PRODUCT AND (ii) THE BUYER OF THIS PRODUCT.

BASF Canada, 510, 28 Quarry Park Blvd SE, Calgary, AB T2C 5P9 Canada