

# Safety Data Sheet

## Headline EC Fungicide

Revision date : 2025/12/01

Version: 7.0

Page: 1/14

(30575741/SDS\_CPA\_CA/EN)

### 1. Identification

#### Product identifier used on the label

## Headline EC Fungicide

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, fungicide

Recommended use\*: No applicable information available.

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Agricultural Solutions Canada Inc.  
510, 28 Quarry Park Boulevard SE,  
Calgary, AB, T2C 5P9  
CANADA

Telephone: +1 (403) 523-3000

#### Emergency telephone number

##### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

#### Other means of identification

Molecular formula: C(19)H(18)N(3)O(4)CL

PCP # 27322/28959

Synonyms: pyraclostrobin

### 2. Hazards Identification

#### According to Hazardous Products Regulations (HPR) (SOR/2022-272)

#### Classification of the product

Asp. Tox.	1	Aspiration hazard
Acute Tox.	3 (oral)	Acute toxicity
Acute Tox.	4 (Inhalation - mist)	Acute toxicity

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01

Version: 7.0

Page: 2/14

(30575741/SDS\_CPA\_CA/EN)

Skin Irrit.	2	Skin irritation
Eye Irrit.	2A	Eye irritation
Carc.	2	Carcinogenicity
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Repr.	2 (unborn child)	Reproductive toxicity
STOT SE	3 (May cause drowsiness and dizziness.)	Specific target organ toxicity — single exposure
STOT RE	2	Specific target organ toxicity — repeated exposure

### Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H361	Suspected of damaging the unborn child.
H373	May cause damage to organs (Liver, Gastrointestinal tract, Nasal cavity) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.
P280	Wear eye protection.
P260	Do not breathe dust/gas/mist/vapours.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01  
Version: 7.0

Page: 3/14  
(30575741/SDS\_CPA\_CA/EN)

P312	Call a POISON CENTER or physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical attention.
P330	Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P331	Do NOT induce vomiting.
P337 + P313	If eye irritation persists: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

### Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

### Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

## Hazards not otherwise classified

### Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 4 - 98 %

---

## 3. Composition / Information on Ingredients

### According to Hazardous Products Regulations (HPR) (SOR/2022-272)

#### | pyraclostrobin

CAS Number: 175013-18-0

Content (W/W): 23.6016 %

Synonym: Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester

#### solvent naphtha

CAS Number: 64742-94-5

Content (W/W): >= 15.0 - <= 40.0%

Synonym: Solvent naphtha, petroleum, heavy arom.

#### Naphthalene, 2-methyl-

CAS Number: 91-57-6

Content (W/W): >= 10.0 - <= 30.0%

Synonym: No data available.

#### naphthalene

CAS Number: 91-20-3

Content (W/W): >= 5.0 - <= 13.0%

Synonym: Naphthalin

#### | Propylene glycol

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01

Version: 7.0

Page: 4/14

(30575741/SDS\_CPA\_CA/EN)

| CAS Number: 57-55-6  
Content (W/W):  $\geq 0.5 - \leq 1.5\%$   
| Synonym: 1,2-Propanediol; Propylene glycol

Naphthalene, 1-methyl-  
CAS Number: 90-12-0  
Content (W/W):  $\geq 5.0 - \leq 13.0\%$   
Synonym: No data available.

Proprietary surfactant blend  
Content (W/W):  $\geq 1.0 - \leq 7.0\%$   
Synonym: No data available.

2-ethylhexan-1-ol  
CAS Number: 104-76-7  
Content (W/W):  $\geq 0.5 - \leq 5.0\%$   
Synonym: 2-Ethylhexanol

The actual concentration is withheld as a trade secret.

---

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

#### If swallowed:

Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01  
Version: 7.0

Page: 5/14  
(30575741/SDS\_CPA\_CA/EN)

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:  
water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:  
water jet

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, Hydrogen chloride, carbon dioxide, nitrogen oxides, organochloric compounds  
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear self-contained breathing apparatus and chemical-protective clothing.

### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01

Version: 7.0

Page: 6/14

(30575741/SDS\_CPA\_CA/EN)

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Suitable materials for containers: High density polyethylene (HDPE), HDPE fluorinated

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage.

Protect against contamination. The authority permits and storage regulations must be observed.

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Components with occupational exposure limits

naphthalene	ACGIH, US:	TWA value 10 ppm ;
	ACGIH, US:	Skin Designation ; Danger of cutaneous absorption
	OSHA Z1:	PEL 10 ppm 50 mg/m3 ;
2-ethylhexan-1-ol	ACGIH, US:	TWA value 5 ppm ;
solvent naphtha	ACGIH, US:	TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures.
	ACGIH, US:	Skin Designation Non-aerosol (total hydrocarbon vapor); Danger of cutaneous absorption

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01  
Version: 7.0

Page: 7/14  
(30575741/SDS\_CPA\_CA/EN)

Pyraclostrobin	TWA value 0.13 mg/m3 ;
Naphthalene, 1-methyl-	ACGIH, US: TWA value 0.05 ppm ; ACGIH, US: Skin Designation ; Danger of cutaneous absorption ACGIH, US: TLV-SL 3 mg/100 cm2 ;
Naphthalene, 2-methyl-	ACGIH, US: TWA value 0.5 ppm ; ACGIH, US: Skin Designation ; The substance can be absorbed through the skin. ACGIH, US: TLV-SL 3 mg/100 cm2 ; ACGIH, US: Skin Designation ; Danger of cutaneous absorption ACGIH, US: TWA value 0.05 ppm ;

### **Personal protective equipment**

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

---

## 9. Physical and Chemical Properties

Physical state:	liquid
Form:	liquid
Odour:	aromatic

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01

Version: 7.0

Page: 8/14

(30575741/SDS\_CPA\_CA/EN)

Odour threshold:	Not determined since harmful by inhalation.	
Colour:	dark yellow	
pH value:	approx. 5 - 7 ( 1 %(m), approx. 20 °C)	
Melting point:	approx. -8 °C	
Boiling point:	Information applies to the solvent. approx. 220 - 293 °C	
Sublimation point:	Information applies to the solvent. No applicable information available.	
Flash point:	approx. 98 °C	(Directive 92/69/EEC, A.9)
Flammability:	Product is combustible.	
Lower explosion limit:	approx. 0.7 %(V)	
Upper explosion limit:	Information applies to the solvent. approx. 5.6 %(V)	
Autoignition:	Information applies to the solvent. approx. 475 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 0.05 hPa (approx. 20 °C)	
Density:	Information applies to the solvent. approx. 1.06 g/cm <sup>3</sup> (approx. 20 °C)	(OECD Guideline 109)
Relative density:	No data available.	
Relative vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, kinematic:	approx. 8.5 mm <sup>2</sup> /s (approx. 40 °C)	(OECD Guideline 114)
Solubility in water:	emulsifiable, insoluble	
Solubility (quantitative):	No data available.	
Solubility (qualitative):	No data available.	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	

### Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

---

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Not an oxidizer.

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01  
Version: 7.0

Page: 9/14  
(30575741/SDS\_CPA\_CA/EN)

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

Avoid sources of ignition. Avoid electro-static discharge. Avoid direct sunlight.

### Incompatible materials

strong bases, strong acids, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Ingestion may cause death unless treated promptly. Harmful by inhalation and in contact with skin.

#### Oral

Type of value: LD50

Species: rat (female)

Value: 260 mg/kg (OECD Guideline 423)

#### Inhalation

Type of value: LC50

Species: rat (female)

Value: 3.27 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol was tested.

#### Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 4,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Assessment other acute effects

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01  
Version: 7.0

Page: 10/14  
(30575741/SDS\_CPA\_CA/EN)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract. Possible narcotic effects (drowsiness or dizziness).

### Irritation / corrosion

Assessment of irritating effects: Eye contact causes irritation. Skin contact causes irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Skin

Species: rabbit

Result: Irritant.

Method: OECD Guideline 404

### Eye

Species: rabbit

Result: Irritant.

Method: OECD Guideline 405

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

### Buehler test

Species: guinea pig

Result: Non-sensitizing.

Method: OECD Guideline 406

### Aspiration Hazard

May also damage the lung at swallowing (aspiration hazard).

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. The product has not been tested. The statement has been derived from the properties of the individual components.

### *Information on: Pyraclostrobin*

*Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity*

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### *Information on: naphthalene*

*Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was mutagenic in a mammalian cell culture test system. The substance was not mutagenic in a test with mammals. Literature data.*

-----

### Carcinogenicity

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01

Version: 7.0

Page: 11/14

(30575741/SDS\_CPA\_CA/EN)

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: naphthalene*

*Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was observed. EU-classification The substance was classified as a group 3 carcinogen by the German MAK-Commission (substances for which a suspicion of a carcinogenic potential exists). IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).*

*IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).*

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Pyraclostrobin*

*Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.*

*Information on: Toluene*

*Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.*

Other Information

Misuse can be harmful to health.

Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

---

## 12. Ecological Information

### Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

Toxicity to fish

LC50 (96 h) 0.0229 mg/l, Oncorhynchus mykiss (Directive 84/449/EEC, C.1, static)

Aquatic invertebrates

EC50 (48 h) 0.046 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01

Version: 7.0

Page: 12/14

(30575741/SDS\_CPA\_CA/EN)

EC50 (72 h) 0.69 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

### Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

### **Mobility in soil**

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Pyraclostrobin*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

-----

### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

See product label for disposal and recycling instructions.

### **Container disposal:**

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## 14. Transport Information

### **Land transport**

TDG

Hazard class:	6.1
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1, EHSM
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains SOLVENT NAPHTHA, PYRACLOSTROBIN)

### **Sea transport**

IMDG

Hazard class:	6.1
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1, EHSM
Marine pollutant:	YES
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains SOLVENT NAPHTHA, PYRACLOSTROBIN)

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01  
Version: 7.0

Page: 13/14  
(30575741/SDS\_CPA\_CA/EN)

### Air transport

IATA/ICAO

Hazard class: 6.1

Packing group: III

ID number: UN 2902

Hazard label: 6.1

Proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (contains SOLVENT NAPHTHA, PYRACLOSTROBIN)

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection DSL, CA released / exempt

### Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

DANGER:

POISON.

Skin Irritant

Eye irritant

Skull and crossbones

KEEP OUT OF REACH OF CHILDREN.

May be fatal if swallowed.

CAUSES SKIN IRRITATION.

Causes eye irritation.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Gloves are not required during application within a closed cab and/or cockpit.

If clothing becomes contaminated, remove immediately and wash separately from household laundry before reuse.

Apply only to agricultural crops when the potential for drift to areas of human habitation and areas of human activity such as houses, cottages, schools and recreational areas is minimal.

DO NOT contaminate domestic or irrigation water, lakes, streams or ponds by the cleaning of equipment or the disposal of wastes.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

# Safety Data Sheet

## Headline EC Fungicide

Revision date: 2025/12/01

Version: 7.0

Page: 14/14

(30575741/SDS\_CPA\_CA/EN)

---

### 16. Other Information

**SDS Prepared by:**

BASF Agricultural Solutions Canada NA Product Regulations

SDS Prepared on: 2025/12/01

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

Date / Revised: 2025/12/01

Date / Previous version: 2024/07/01

Version: 7.0

Previous version: 6.0

---

END OF DATA SHEET