

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07  
Version: 4.0

Page: 1/13  
(30692727/SDS\_CPA\_CA/EN)

### 1. Identification

#### Product identifier used on the label

## Ignite SN Herbicide

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, herbicide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Contact address:  
BASF Canada Inc.  
100 Milverton Drive  
Mississauga, ON L5R 4H1  
CANADA  
Telephone: +1 289 360-1300

#### Emergency telephone number

#### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: (800) 454-COPE (2673)

#### Other means of identification

PCP # 28532  
Synonyms: Glufosinate Ammonium

---

### 2. Hazards Identification

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

#### Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Acute Tox.	4 (Inhalation - mist)	Acute toxicity
Acute Tox.	3 (dermal)	Acute toxicity
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Repr.	1B (fertility)	Reproductive toxicity

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Version: 4.0

Page: 2/13

(30692727/SDS\_CPA\_CA/EN)

Repr.	1B (unborn child)	Reproductive toxicity
STOT RE	2	Specific target organ toxicity — repeated exposure
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic

### Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H318	Causes serious eye damage.
H311	Toxic in contact with skin.
H360	May damage fertility. May damage the unborn child.
H302 + H332	Harmful if swallowed or if inhaled
H373	May cause damage to organs (Nervous system) through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
H401	Toxic to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust/gas/mist/vapours.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P308 + P313	IF exposed or concerned: Get medical attention.
P361 + P364	Take off immediately all contaminated clothing and wash it before reuse.
P330	Rinse mouth

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07  
Version: 4.0

Page: 3/13  
(30692727/SDS\_CPA\_CA/EN)

### 3. Composition / Information on Ingredients

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

CAS Number: 77182-82-2

Content (W/W): 13.5 %

Synonym: Glufosinate Ammonium

Polyethyleneglycolmonoalkylethersulphate, sodium salt

CAS Number: 68891-38-3

Content (W/W): 40.0 - 45.0%

Synonym: No data available.

1-methoxypropan-2-ol

CAS Number: 107-98-2

Content (W/W): 5.0 - 10.0%

Synonym: 1-Methoxy-2-propanol; Propylene glycol monomethyl ether

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing. Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

##### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

##### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

##### If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

#### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., vomiting, diarrhea, abdominal cramps, tremors, hypotony, unconsciousness, coma, convulsions, respiratory disorders, nausea, tachycardia, Symptoms may be delayed for several hours.

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Version: 4.0

Page: 4/13

(30692727/SDS\_CPA\_CA/EN)

---

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote. Medical monitoring for at least 24-48 hours.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:  
water jet

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, carbon dioxide, hydrogen cyanide, nitrogen oxides, sulfur oxides  
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear self-contained breathing apparatus and chemical-protective clothing.

### Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Version: 4.0

Page: 5/13

(30692727/SDS\_CPA\_CA/EN)

before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container. Keep container tightly closed in a cool, well-ventilated place. Keep away from heat. Store protected against freezing. Protect from direct sunlight.

---

## 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

### Components with occupational exposure limits

1-methoxypropan-2-ol

ACGIH TLV    TWA value 50 ppm ; STEL value 100 ppm ;

### Personal protective equipment

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

---

## 9. Physical and Chemical Properties

Form: liquid  
Odour: pungent, aromatic

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Page: 6/13

Version: 4.0

(30692727/SDS\_CPA\_CA/EN)

Odour threshold:	Not determined since harmful by inhalation.
Colour:	blue to green
pH value:	approx. 5.4 - 7.4 ( 10 %(m), 23 °C) (undiluted)
Melting point:	approx. 0 °C Information applies to the solvent.
Boiling point:	approx. 101 °C
Flash point:	57 °C UN L.2 Sustained combustibility The product does not burn self-sustainingly.
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	455 °C
Vapour pressure:	The statements are based on the properties of the individual components.
<i>Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt</i>	
Vapour pressure:	approx. < 0.031 mPa (Directive 84/449/EEC, A.4) (99.5 %(m), 25 °C)
-----	
Density:	approx. 1.11 g/cm <sup>3</sup> ( 20 °C)
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.
<i>Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt</i>	
Partitioning coefficient n-octanol/water (log Pow):	-4.01 (OECD Guideline 107) ( 22 °C)
<i>Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt</i>	
Partitioning coefficient n-octanol/water (log Pow):	0.3
-----	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	not determined
Solubility in water:	( 20 °C) miscible
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Version: 4.0

Page: 7/13

(30692727/SDS\_CPA\_CA/EN)

---

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

See SDS section 7 - Handling and storage.

#### Incompatible materials

oxidizing agents, acids, bases

#### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: ammonia

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Of pronounced toxicity after short-term skin contact. Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation.

##### Oral

Type of value: LD50

Species: rat (female)

Value: 1,730 mg/kg

##### Inhalation

Type of value: LC50

Species: rat (male)

Value: 2.97 mg/l

Exposure time: 4 h

An aerosol was tested.

Type of value: LC50

Species: rat (female)

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Version: 4.0

Page: 8/13

(30692727/SDS\_CPA\_CA/EN)

Value: 3.91 mg/l  
Exposure time: 4 h  
An aerosol was tested.

### Dermal

Type of value: LD50  
Species: rat (male/female)  
Value: 593 mg/kg

### Assessment other acute effects

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: May cause severe damage to the eyes. Not irritating to the skin.

### Skin

Species: rabbit  
Result: non-irritant

### Eye

Species: rabbit  
Result: Risk of serious damage to eyes.

### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

modified Buehler test

Species: guinea pig  
Result: Non-sensitizing.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause neurological disturbances.*

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.



# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Version: 4.0

Page: 9/13

(30692727/SDS\_CPA\_CA/EN)

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*Assessment of reproduction toxicity: Causes impairment of fertility in laboratory animals.*

-----

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*Assessment of teratogenicity: The substance did not cause malformations in animal studies; however, toxicity to development was observed at doses that were toxic to the parental animals.*

-----

### Other Information

Misuse can be harmful to health.

---

## 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Toxicity to fish

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*LC50 (96 h) 461 mg/l, Pimephales promelas*

*Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt*  
*LC50 (96 h) 7.1 mg/l, Brachydanio rerio (Flow through.)*

-----

#### Aquatic invertebrates

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*EC50 (48 h) > 100 mg/l, Daphnia magna*

*Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt*  
*EC50 (48 h) 7.4 mg/l, Daphnia magna (static)*

-----

#### Aquatic plants

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*EC50 (96 h) 0.132 mg/l (growth rate), Anabaena cylindrica*  
*No observed effect concentration (96 h) 0.039 mg/l, Anabaena flos-aquae*  
*EC10 (72 h) 0.106 mg/l (growth rate), Anabaena flos-aquae*  
*EC50 (72 h) 46.4 mg/l (growth rate), Pseudokirchneriella subcapitata*  
*No observed effect concentration < 6.25 mg/l, Pseudokirchneriella subcapitata*

*Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt*  
*EC50 (72 h) 27.7 mg/l (growth rate), Scenedesmus subspicatus*

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Version: 4.0

Page: 10/13

(30692727/SDS\_CPA\_CA/EN)

*No observed effect concentration (72 h) 0.93 mg/l (growth rate), Scenedesmus subspicatus*  
-----

### Chronic toxicity to fish

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*No observed effect concentration (35 d) 26.2 mg/l, Pimephales promelas*

*Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt*  
*No observed effect concentration (28 d) 0.14 mg/l, Oncorhynchus mykiss (Flow through.)*  
-----

### Chronic toxicity to aquatic invertebrates

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*No observed effect concentration (21 d) 18 mg/l, Daphnia magna (other, semistatic)*  
*EC50 (28 d) 7.5 mg/l, Mysisidopsis bahia*

*Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt*  
*No observed effect concentration (21 d) 0.27 mg/l, Daphnia magna (OECD Guideline 211, Flow through.)*  
-----

## **Persistence and degradability**

### Assessment biodegradation and elimination (H<sub>2</sub>O)

The product has not been tested. The statement has been derived from the properties of the individual components.

### Assessment biodegradation and elimination (H<sub>2</sub>O)

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Not readily biodegradable (by OECD criteria).*

*Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt*

*Readily biodegradable (according to OECD criteria).*  
-----

## **Bioaccumulative potential**

### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

### Bioaccumulation potential

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Bioconcentration factor: < 1, Lepomis macrochirus (OECD Guideline 305 E)*

*Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt*  
-----

## **Mobility in soil**

Assessment transport between environmental compartments

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Version: 4.0

Page: 11/13

(30692727/SDS\_CPA\_CA/EN)

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*

*Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt*

*Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*

### Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## 13. Disposal considerations

### Waste disposal of substance:

See product label for disposal and recycling instructions.

### Container disposal:

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

## 14. Transport Information

### Land transport

TDG

Hazard class:	6.1
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains GLUFOSINATE AMMONIUM)

### Sea transport

IMDG

Hazard class:	6.1
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1
Marine pollutant:	NO
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains GLUFOSINATE AMMONIUM)

### Air transport

IATA/ICAO

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Version: 4.0

Page: 12/13

(30692727/SDS\_CPA\_CA/EN)

Hazard class:	6.1
Packing group:	III
ID number:	UN 2902
Hazard label:	6.1
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains GLUFOSINATE AMMONIUM)

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical DSL, CA blocked / not listed

Crop Protection DSL, CA released / exempt

### Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

WARNING:

POISON.

Skull and crossbones inside diamond

Eye irritant.

Skin Irritant

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IN CONTACT WITH SKIN.

HARMFUL IF SWALLOWED.

May be fatal if absorbed through skin.

Causes eye irritation.

Avoid inhalation of mists/vapours.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

---

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

---

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2021/01/07

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2021/01/07

Version: 4.0

Page: 13/13

(30692727/SDS\_CPA\_CA/EN)

---

a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET