

# Safety Data Sheet

## Ignite SN Herbicide

Revision date : 2025/11/14  
Version: 8.0

Page: 1/14  
(30692727/SDS\_CPA\_CA/EN)

### 1. Identification

#### Product identifier used on the label

## Ignite SN Herbicide

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, herbicide  
Recommended use\*: No applicable information available.

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF Agricultural Solutions Canada Inc.  
510, 28 Quarry Park Boulevard SE,  
Calgary, AB, T2C 5P9  
CANADA

Telephone: +1 (403) 523-3000

#### Emergency telephone number

##### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: (800) 454-COPE (2673)

#### Other means of identification

Chemical family: No applicable information available.  
PCP # 28532  
Synonyms: Glufosinate Ammonium

### 2. Hazards Identification

#### According to Hazardous Products Regulations (HPR) (SOR/2022-272)

#### Classification of the product

Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Repr.	1B (fertility)	Reproductive toxicity

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 2/14  
(30692727/SDS\_CPA\_CA/EN)

Repr.	2 (unborn child)	Reproductive toxicity
STOT SE	1	Specific target organ toxicity — single exposure
STOT RE	2	Specific target organ toxicity — repeated exposure
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	2	Hazardous to the aquatic environment - chronic

### Label elements

Pictogram:



Signal Word:  
Danger

Hazard Statement:

H318	Causes serious eye damage.
H315	Causes skin irritation.
H360	May damage fertility. Suspected of damaging the unborn child.
H370	Causes damage to organs (Nervous system).
H373	May cause damage to organs (Nervous system) through prolonged or repeated exposure.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P273	Avoid release to the environment.
P260	Do not breathe mist or vapour.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P308 + P313	IF exposed or concerned: Get medical attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 3/14  
(30692727/SDS\_CPA\_CA/EN)

### 3. Composition / Information on Ingredients

#### According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt  
CAS Number: 77182-82-2  
Content (W/W): 13.5 %  
Synonym: Glufosinate Ammonium

Alcohols, C10-16, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)  
CAS Number: 68585-34-2  
Content (W/W): >= 15.0 - <= 40.0%  
Synonym: No data available.

1-methoxypropan-2-ol  
CAS Number: 107-98-2  
Content (W/W): >= 5.0 - <= 13.0%  
Synonym: 1-Methoxy-2-propanol; Propylene glycol monomethyl ether

(OLIGOMER) Alcohols, C10-16, ethoxylated (> 1 < 2.5 mol EO)  
CAS Number: 68002-97-1  
Content (W/W): >= 0.1 - <= 1.5%  
Synonym: No data available.

The actual concentration is withheld as a trade secret.

---

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing. Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

##### If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

##### If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

##### If swallowed:

Do not induce vomiting. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 4/14  
(30692727/SDS\_CPA\_CA/EN)

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., vomiting, diarrhea, abdominal cramps, tremors, hypotension (low blood pressure), weakness, unconsciousness, coma, convulsions, respiratory arrest, nausea, tachycardia, Symptoms may be delayed for several hours.

Hazards: No applicable information available.

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote. Administer activated charcoal. If necessary, give oxygen. Monitor respiratory, cardiac and central nervous system. Medical monitoring for at least 24-48 hours.

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:  
water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:  
water jet

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, Hydrogen chloride, carbon dioxide, nitrogen oxides, sulfur oxides, halogenated compounds  
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear self-contained breathing apparatus and chemical-protective clothing.

### Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according



# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 6/14  
(30692727/SDS\_CPA\_CA/EN)

### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Physical state:	liquid
Form:	liquid
Odour:	pungent, aromatic
Odour threshold:	Not determined since harmful by inhalation.
Colour:	blue to green
pH value:	approx. 5.4 - 7.4 ( 10 %(m), 23 °C) (undiluted)
Melting point:	approx. 0 °C Information applies to the solvent.
Boiling point:	approx. 101 °C
Sublimation point:	No applicable information available.
Flash point:	57 °C UN L.2 Sustained combustibility The product does not burn self-sustainingly.
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	455 °C
Vapour pressure:	The statements are based on the properties of the individual components. approx. 23.4 hPa ( 20 °C) Information applies to the solvent.
Density:	approx. 1.11 g/cm <sup>3</sup> ( 20 °C)
Relative vapour density:	not applicable

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 7/14  
(30692727/SDS\_CPA\_CA/EN)

Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	not determined
Viscosity, kinematic:	approx. 48 mm <sup>2</sup> /s
Solubility in water:	( 20 °C) miscible
Solubility (quantitative):	No data available.
Solubility (qualitative):	No data available.
Molecular weight:	No data available.
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

### Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

---

## 10. Stability and Reactivity

### **Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

### Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### **Possibility of hazardous reactions**

No hazardous reactions if stored and handled as prescribed/indicated.

### **Conditions to avoid**

See SDS section 7 - Handling and storage.

### **Incompatible materials**

oxidizing agents, acids, bases

### **Hazardous decomposition products**

### Decomposition products:

Hazardous decomposition products: ammonia

### Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### **Primary routes of exposure**

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 8/14  
(30692727/SDS\_CPA\_CA/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Oral

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Type of value: LD50*

*Species: rat (female)*

*Value: > 1,510 mg/kg (Conventional method)*

-----

#### Inhalation

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Type of value: LC50*

*Species: rat (male)*

*Value: 1.26 mg/l (Conventional method)*

*Exposure time: 4 h*

*Tested as dust aerosol.*

-----

#### Dermal

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Type of value: LD50*

*Species: rabbit (male/female)*

*Value: 2,000 mg/kg bw (Conventional method)*

-----

#### Assessment other acute effects

Assessment of STOT single:

A single exposure may have relevant toxic effects on organs.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation / corrosion

Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Skin

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Species: rabbit*

*Result: non-irritant*

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 9/14  
(30692727/SDS\_CPA\_CA/EN)

*Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)*  
*Species: In vitro assay*  
*Result: Irritant.*  
*Method: OECD Guideline 439*

*Species: rabbit*  
*Result: Irritant.*  
*Method: OECD Guideline 404*

-----  
Eye

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*Species: rabbit*  
*Result: non-irritant*  
*Method: EPA Guideline*

*Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)*  
*Species: In vitro assay*  
*Result: no irreversible damage*  
*Method: BCOP*

*Species: rabbit*  
*Result: irreversible damage*  
*Method: OECD Guideline 405*

-----  
Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*Buehler test*  
*Species: guinea pig*  
*Result: Non-sensitizing.*

-----  
Aspiration Hazard

The product has not been tested. The statement has been derived from the properties of the individual components. No aspiration hazard expected.

### **Chronic Toxicity/Effects**

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 10/14  
(30692727/SDS\_CPA\_CA/EN)

*Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause neurological disturbances.*

*Information on: 1-methoxypropan-2-ol*  
*Assessment of repeated dose toxicity: May affect the liver as indicated in animal studies. The substance may cause damage to the kidney after repeated inhalation. Effect found in rodents only. The relevance to humans is questionable.*

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*Assessment of reproduction toxicity: Causes impairment of fertility in laboratory animals.*

-----

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*Assessment of teratogenicity: The substance did not cause malformations in animal studies; however, toxicity to development was observed at doses that were toxic to the parental animals.*

-----

### Other Information

Misuse can be harmful to health.

---

## 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Toxicity to fish

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*LC50 (96 h) 461 mg/l, Pimephales promelas*

-----

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 11/14  
(30692727/SDS\_CPA\_CA/EN)

### Aquatic invertebrates

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*EC50 (48 h) > 100 mg/l, Daphnia magna*

### Aquatic plants

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*EC50 (72 h) 0.132 mg/l (growth rate), Anabaena flos-aquae*  
*No observed effect concentration (72 h) 0.039 mg/l, Anabaena flos-aquae*

### Chronic toxicity to fish

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*No observed effect concentration (35 d) 26.2 mg/l, Pimephales promelas*

### Chronic toxicity to aquatic invertebrates

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*  
*No observed effect concentration (21 d) 18 mg/l, Daphnia magna (other, semistatic)*

## **Persistence and degradability**

### Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

### Assessment biodegradation and elimination (H2O)

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Not readily biodegradable (by OECD criteria).*

## **Bioaccumulative potential**

### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

### Bioaccumulation potential

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Bioconcentration factor: < 1, Lepomis macrochirus*

*Does not accumulate in organisms.*

## **Mobility in soil**

### Assessment transport between environmental compartments

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 12/14  
(30692727/SDS\_CPA\_CA/EN)

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt*

*Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*

-----

### Additional information

Other ecotoxicological advice:  
Do not discharge product into the environment without control.

---

## 13. Disposal considerations

### Waste disposal of substance:

See product label for disposal and recycling instructions.

### Container disposal:

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

---

## 14. Transport Information

### Land transport

TDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains GLUFOSINATE AMMONIUM)

### Sea transport

IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains GLUFOSINATE AMMONIUM)

### Air transport

IATA/ICAO

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains GLUFOSINATE AMMONIUM)

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14  
Version: 8.0

Page: 13/14  
(30692727/SDS\_CPA\_CA/EN)

### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

Product may be shipped as non-hazardous in suitable packages containing a net quantity of less than 450 L/450 Kg under the provisions of TDG: Special Provision 99(2).

According to Section 1.45.1 of Canada Transportation of Dangerous Goods Regulation, the Documentation and Dangerous Goods Safety Marks requirements do not apply to marine pollutant classified as class 9 if they are transported solely on land by road vehicle or railway vehicle.

---

## 15. Regulatory Information

### **Federal Regulations**

#### **Registration status:**

Crop Protection      DSL, CA      released / listed

### **Labeling requirements under Pest Control Products Act**

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:



Warning: Poison

WARNING:

SKIN AND EYE IRRITANT

READ THE LABEL AND ATTACHED BOOKLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN.

Harmful or fatal if absorbed through the skin.

HARMFUL IF SWALLOWED.

Causes eye irritation.

Do not get in eyes, on skin, or on clothing.

Avoid inhalation of mists/vapours.

Wash thoroughly after handling.

---

# Safety Data Sheet

## Ignite SN Herbicide

Revision date: 2025/11/14

Version: 8.0

Page: 14/14

(30692727/SDS\_CPA\_CA/EN)

---

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

---

### 16. Other Information

**SDS Prepared by:**

BASF Agricultural Solutions Canada NA Product Regulations

SDS Prepared on: 2025/11/14

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

Date / Revised: 2025/11/14

Date / Previous version: 2025/02/12

Version: 8.0

Previous version: 7.1

---

END OF DATA SHEET