

Safety Data Sheet

Merivon Fungicide

Revision date : 2025/11/12
Version: 5.0

Page: 1/13
(30765395/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

Merivon Fungicide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, fungicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Agricultural Solutions Canada Inc.
510, 28 Quarry Park Boulevard SE,
Calgary, AB, T2C 5P9
CANADA

Telephone: +1 (403) 523-3000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Chemical family: No applicable information available.

PCP # 33951

Synonyms: fluxapyroxad + pyraclostrobin

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Classification of the product

Acute Tox.	3 (oral)	Acute toxicity
Acute Tox.	4 (Inhalation - mist)	Acute toxicity
Skin Corr./Irrit.	2	Skin corrosion/irritation
Skin Sens.	1	Skin sensitization

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12

Version: 5.0

Page: 2/13

(30765395/SDS_CPA_CA/EN)

Repr. STOT SE	Add. cat. lact. 3 (irritating to respiratory system)	Reproductive toxicity Specific target organ toxicity — single exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H315	Causes skin irritation.
H332	Harmful if inhaled.
H301	Toxic if swallowed.
H317	May cause an allergic skin reaction.
H362	May cause harm to breast-fed children.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P260	Do not breathe dust or mist.
P264	Wash contaminated body parts thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P263	Avoid contact during pregnancy and while nursing.
P270	Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P330	Rinse mouth.
P391	Collect spillage.
P308 + P313	IF exposed or concerned: Get medical attention.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 3/13
(30765395/SDS_CPA_CA/EN)

Hazards not otherwise classified

Labeling of special preparations (GHS):

Product contains the following components and may cause an allergic skin reaction: 1,2-benzisothiazol-3(2H)-one, 2-Methyl-4-Isothiazolin-3-one

The substance may cause sensitization of the skin in particularly sensitive individuals. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

| Pyraclostrobin

| CAS Number: 175013-18-0
| Content (W/W): 21.26 %
| Synonym: No data available.

| Fluxapyroxad

| CAS Number: 907204-31-3
| Content (W/W): 21.26 %
| Synonym: No data available.

| Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

| Content (W/W): $\geq 0.5 - < 5.0\%$
| Synonym: No data available.

| Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

| CAS Number: 68425-94-5
| Content (W/W): $> 0.5 - \leq 5.0\%$
| Synonym: No data available.

| bronopol

| CAS Number: 52-51-7
| Content (W/W): $< 0.1\%$
| Synonym: 2-Bromo-2-nitro-1,3-propanediol; Bronopol

| 1,2-benzisothiazol-3(2H)-one

| CAS Number: 2634-33-5
| Content (W/W): 0.005 %
| Synonym: No data available.

| 2-Methyl-4-Isothiazolin-3-one

| CAS Number: 2682-20-4
| Content (W/W): 0.005 %
| Synonym: 2-Methyl-4-isothiazolin-3-one; 2-Methyl-2H-isothiazol-3-one

The actual concentration is withheld as a trade secret.

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 4/13
(30765395/SDS_CPA_CA/EN)

4. First-Aid Measures

Description of first aid measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Hazards: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 5/13
(30765395/SDS_CPA_CA/EN)

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

Ensure adequate ventilation. Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Protect from temperatures below: 0 °C

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 6/13
(30765395/SDS_CPA_CA/EN)

The product can crystallize below the limit temperature.
Protect from temperatures above: 40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Pyraclostrobin	TWA value 0.13 mg/m ³ ;
Fluxapyroxad	TWA value 0.5 mg/m ³ ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 7/13
(30765395/SDS_CPA_CA/EN)

9. Physical and Chemical Properties

Physical state:	liquid	
Form:	liquid	
Odour:	fruity, faint odour	
Odour threshold:	Not determined since harmful by inhalation.	
Colour:	beige	
pH value:	approx. 6 - 8 (1 %(m), 20 °C)	(pH Meter)
crystallization temperature:	approx. -6.7 °C	
Boiling point:	approx. 100 °C	
Sublimation point:	No applicable information available.	
Flash point:	No flash point - Measurement made up to the boiling point.	
Flammability:	not applicable	
Autoignition:	517 °C	(Directive 92/69/EEC, A.15)
SADT:	> 75 °C Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
Vapour pressure:	approx. 23 hPa (20 °C)	
Density:	Information applies to the solvent. approx. 1.18 g/cm ³ (20 °C)	(OECD Guideline 109)
Relative vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures	
Thermal decomposition:	160 °C, 110 kJ/kg (DSC (OECD 113)) (onset temperature) 270 °C, 320 kJ/kg (DSC (OECD 113)) (onset temperature) 410 °C, > 80 kJ/kg (DSC (OECD 113)) (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	approx. 50 mPa.s (20 °C)	(OECD Guideline 114)
Solubility in water:	dispersible	
Solubility (quantitative):	No data available.	
Solubility (qualitative):	No data available.	
Molecular weight:	No data available.	
Evaporation rate:	not applicable	

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 8/13
(30765395/SDS_CPA_CA/EN)

not fire-propagating (Directive 2004/73/EC, A.21)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage.

Incompatible materials

strong oxidizing agents, strong bases, strong acids

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

160 °C, 2.5 K/min (DSC (OECD 113))
(onset temperature)

270 °C, 2.5 K/min (DSC (OECD 113))
(onset temperature)

410 °C, 2.5 K/min (DSC (OECD 113))

(onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of pronounced toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Oral

Type of value: LD50

Species: rat (female)

Value: > 50 - < 300 mg/kg (OECD Guideline 423)

Inhalation

Type of value: LC50

Species: rat (female)

Value: 2.81 mg/l (OECD Guideline 403)

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 9/13
(30765395/SDS_CPA_CA/EN)

Exposure time: 4 h
An aerosol was tested.

Dermal

Type of value: LD50
Species: rat (male/female)
Value: > 5,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Assessment other acute effects

Assessment of STOT single:
Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause moderate irritation to the skin.

Skin

Species: rabbit
Result: Slightly irritating.
Method: OECD Guideline 404

Eye

Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Sensitization

Assessment of sensitization: The product contains 1,2-benzisothiazolin-3-one (CAS-No.: 2634-33-5). The product contains 2-methyl-4-isothiazolin-3-one (CAS-No.: 2682-20-4). The substance may cause sensitization of the skin in particularly sensitive individuals. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Buehler test

Species: guinea pig
Result: Non-sensitizing.
Method: OECD Guideline 406

Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 10/13
(30765395/SDS_CPA_CA/EN)

Information on: pyraclostrobin

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to fish. Very toxic (acute effect) to aquatic invertebrates. Acutely toxic for aquatic plants.

Toxicity to fish

Information on: Fluxapyroxad

LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static)

LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

Information on: pyraclostrobin

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 11/13
(30765395/SDS_CPA_CA/EN)

LC50 (96 h) 0.00616 mg/l, *Oncorhynchus mykiss* (EPA 72-1, Flow through.)

Aquatic invertebrates

Information on: Fluxapyroxad

EC50 (48 h) 6.78 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Information on: pyraclostrobin

EC50 (48 h) 0.0157 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

EC50 (96 h) 0.00416 mg/l, *Americamysis bahia*

Aquatic plants

Information on: Fluxapyroxad

EC50 (72 h) 0.70 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

EC50 (96 h) 0.66 mg/l (growth rate), *Pseudokirchneriella subcapitata*

EC10 (72 h) 0.31 mg/l (growth rate), *Pseudokirchneriella subcapitata*

EC10 (96 h) 0.36 mg/l (growth rate), *Pseudokirchneriella subcapitata*

Information on: pyraclostrobin

EC10 (7 d) 0.82 mg/l (growth rate), *Lemna gibba*

EC50 (7 d) > 1.007 mg/l (growth rate), *Lemna gibba*

EC50 (72 h) 0.011 mg/l (growth rate), *Navicula pelliculosa*

Chronic toxicity to fish

Information on: Fluxapyroxad

No observed effect concentration (33 d) 0.0359 mg/l, *Pimephales promelas* (OECD Guideline 210, Flow through.)

Information on: pyraclostrobin

No observed effect concentration (98 d) approx. 0.00235 mg/l, *Oncorhynchus mykiss* (OECD Guideline 210, Flow through.)

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 12/13
(30765395/SDS_CPA_CA/EN)

Land transport

TDG

Hazard class: 6.1
Packing group: III
ID number: UN 2902
Hazard label: 6.1, EHSM
Proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (contains PYRACLOSTROBIN, FLUXAPYROXAD)

Sea transport

IMDG

Hazard class: 6.1
Packing group: III
ID number: UN 2902
Hazard label: 6.1, EHSM
Marine pollutant: YES
Proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (contains PYRACLOSTROBIN, FLUXAPYROXAD)

Air transport

IATA/ICAO

Hazard class: 6.1
Packing group: III
ID number: UN 2902
Hazard label: 6.1
Proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (contains PYRACLOSTROBIN, FLUXAPYROXAD)

Further information

This product may be classified as limited quantity in selected package sizes.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection DSL, CA released / exempt

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Safety Data Sheet

Merivon Fungicide

Revision date: 2025/11/12
Version: 5.0

Page: 13/13
(30765395/SDS_CPA_CA/EN)



Danger: Poison

Skin Irritant

WARNING:

Contains the allergen soy.

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED.

HARMFUL IF INHALED.

May be fatal if swallowed.

Avoid inhalation of dusts/mists/vapours.

Do not get in eyes.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

16. Other Information

SDS Prepared by:

BASF Agricultural Solutions Canada NA Product Regulations

SDS Prepared on: 2025/11/12

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Date / Revised: 2025/11/12
Date / Previous version: 2021/09/14

Version: 5.0
Previous version: 4.0

END OF DATA SHEET