

Nodulator® Duo SCG

Biostacked® solid core granular pea and lentil Inoculant

Registration Number 2014057S Fertilizers Act

Net contents:

22.68 kg (50 lbs)

- Technologically advanced carrier
- Easy flow formulation
- Low application rate
- Biostacked for increased yield performance



**GHS Signal
Word:
Warning**

Hazard Statements: Harmful if inhaled. May cause respiratory irritation.

Precautionary Statements (Prevention): Use only outdoors or in a well-ventilated area. Avoid breathing dust.

Precautionary Statements (Response): Call a POISON CENTER or doctor/physician if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary Statements (Storage): Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Precautionary Statements (Disposal): Dispose of contents/container to hazardous or special waste collection point.

This granular inoculant contains living organisms and requires a relatively high moisture content compared to granular pesticides.

DIRECTIONS FOR USE

Use loading auger to fill tank and screens provided by equipment manufacturer.

- **To optimize flow (especially under humid conditions) it is suggested to only fill large compartments to no more than 50 percent capacity.**
- Use before expiration date.
- Do not allow product to get wet or dry out.
- Apply granular inoculant directly to the furrow. The product must not be applied at a depth that is less than the planting depth of the seed.
- Do not mix granular inoculant with granular pesticides or fertilizers during planting.
- Environmental conditions may affect flowability of the product. Feeding mechanism should be cleaned often to ensure good flow.
- Remove any unused granules from the hopper box at the end of each days planting. Do not allow granules to sit in hopper overnight.

Application Rates: For equipment calibration purposes refer to the following table indicating row spacing versus application rate.

Row Spacing		Application Rate		Area treated per bag	
cm	inches	kg/ha	lbs/ac	ha	ac
20.3	8	4.6	4.1	4.9	12.2
25.4	10	3.7	3.3	6.1	15.2
30.5	12	3.0	2.7	7.6	18.5

For additional row widths apply granules at a rate of 28.5 g/ 304 linear row meter or contact your BASF Representative.

EQUIPMENT CALIBRATION

This solid core granular inoculant is similar in particle size to some herbicide granules with a mean particle size distribution between 0.6 - 1.7 mm (92%) when submitted to standard Tyler mesh particle size calibration and a bulk density of 0.90 grams per cubic centimeter (56 pounds per cubic foot).

STORAGE

- Store granular inoculant in a cool 10-15°C (50-60°F) dry place and away from pesticides and bulk fertilizers.
- Store bags flat, keeping off of floor (i.e. pallet) to avoid direct contact with cold, damp surfaces.
- Do not stack product more than 2 pallets high.
- Do not allow product to get wet or exposed to extreme humidity.
- Store away from direct sunlight.

CAUTION

This product contains the bacteria *Bacillus subtilis* and may cause adverse effects to individuals who are allergic to certain micro-organisms, and also to immune deficient individuals. Avoid exposure through inhalation, or to open wounds and eyes.

PRECAUTIONS

This product may contain fungi and bacteria and may cause adverse effects to sensitive individuals. Wear respiratory protection, such as a respirator, if ventilation is inadequate or if dust generation is anticipated or seen. Wear chemical resistant gloves, safety glasses with side shields, and closed work clothing. Do not eat, drink or smoke while using. Wash with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST-AID MEASURES

If inhaled: Remain calm, remove to fresh air.

If on skin: Wash thoroughly with soap and water.

If in eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed: Rinse mouth and then drink plenty of water.

GUARANTEE

This product contains a minimum of 8×10^7 CFU/g *Rhizobium leguminosarum* biovar *viceae* STRAIN 1435 and 2×10^8 CFU/g of *Bacillus subtilis* STRAIN BU1814.

Warranty Disclaimer. BASF Canada Inc. ("BASF") warrants that this product conforms to the specifications set out on this label. BASF, its affiliates and the sellers of this product MAKE NO OTHER REPRESENTATIONS, WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, AS TO THE CONDITION, QUALITY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THIS PRODUCT.

Limitation of Remedies. The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability or other legal theories), shall be limited to, at BASF's election, one of the following: (1) replacement of the amount of product used; or (2) refund of the purchase price paid for the product; PROVIDED THAT BASF's provision of (1) or (2) is conditioned on its first being promptly notified of such loss or damage in writing. BASF, its affiliates and the sellers of this product SHALL NOT BE LIABLE to the buyer or any other party claiming by, through, or under the buyer for any other losses or damages resulting or relating to this product, including but not limited to any DIRECT, INDIRECT, SPECIAL, PUNITIVE, ECONOMIC, INCIDENTAL, OR CONSEQUENTIAL DAMAGES or loss of profits, whether in contract, tort or otherwise. BASF and its affiliates neither

assume, nor authorize any person to assume for them, any other liability in connection with the sale, storage, use or handling of this product other than expressly set forth herein.

Acknowledgement. IN PURCHASING THIS PRODUCT, THE BUYERS AND ALL PARTIES CLAIMING BY, THROUGH OR UNDER THE BUYER, ACKNOWLEDGE AND AGREE TO THE TERMS AND CONDITIONS SET FORTH ON THIS LABEL AND FURTHER ACKNOWLEDGE THAT THEY FORM PART OF THE CONTRACT OF SALE BETWEEN (i) BASF, ITS AFFILIATES AND ANY OTHER SELLER OF THIS PRODUCT AND (ii) THE BUYER OF THIS PRODUCT.

BASF Canada, 510, 28 Quarry Park Blvd SE, Calgary, AB T2C 5P9 Canada